



INDEX



OLEOSTAR CARTRIDGE VALVES



RELIEF VALVES

MC SERIES

- Relief Valves, Direct Acting (Poppet Type)
- Flow Rating – upto 100 litres / min.
- Maximum Pressure – 350 bar.

MG SERIES

- Relief Valves, Direct Acting (Differential Piston Type)
- Flow Rating – upto 100 litres / min.
- Maximum Pressure – 350 bar.

MP SERIES

- Relief Valves, Pilot Operated Spool Type
- Flow Rating – upto 180 litres / min.
- Maximum Pressure – 350 bar.

PRESSURE REDUCING VALVES

RB SERIES

- Pressure Reducing Valves, Direct Acting, without relieving
- Flow Rating – upto 30 litres / min.
- Maximum Pressure – 350 bar.

RD SERIES

- Pressure Reducing Valves, Direct Acting, with relieving
- Flow Rating – upto 30 litres / min.
- Maximum Pressure – 350 bar.



RM SERIES

- Pressure Reducing Valves, Pilot Operated, without relieving
- Flow Rating – upto 150 litres / min.
- Maximum Pressure – 350 bar.

RP SERIES

- Pressure Reducing Valves, Pilot Operated, with relieving
- Flow Rating – upto 150 litres / min.
- Maximum Pressure – 350 bar.

SEQUENCE VALVES

SE SERIES

- Sequence Valves, Two way, with external pilot
- Flow Rating – upto 20 litres / min.
- Maximum Pressure – 210 bar.

SG SERIES

- Sequence Valves, Two way, with external pilot and external drain
- Flow Rating – upto 50 litres / min.
- Maximum Pressure – 300 bar.

SW SERIES

- “ KICK DOWN” Sequence Valves
- Flow Rating – upto 180 litres / min.
- Maximum Pressure – 350 bar.



CHECK VALVES

UC SERIES

- Check Valves, Poppet Type
- Flow Rating – upto 100 litres / min.
- Maximum Pressure – 350 bar.

UT SERIES

- Shuttle Valves
- Flow Rating – upto 20 litres / min.
- Maximum Pressure – 350 bar.

BC SERIES

- Pilot Operated Check Valves
- Flow Rating – upto 100 litres / min.
- Maximum Pressure – 350 bar.

CA SERIES

- Overcenter Valves
- Flow Rating – upto 60 litres / min.
- Maximum Pressure – 350 bar.

CC SERIES

- Overcenter Valves, not affected by back pressure
- Flow Rating – upto 90 litres / min.
- Maximum Pressure – 350 bar.



NEEDLE VALVES

NU SERIES

- Needle valves, with reverse free-flow check
- Flow Rating – upto 100 litres / min.
- Maximum Pressure – 350 bar.

NB SERIES

- Needle valves
- Flow Rating – upto 100 litres / min.
- Maximum Pressure – 350 bar.

NT SERIES

- Needle valves, with reverse free-flow check
- Flow Rating – upto 100 litres / min.
- Maximum Pressure – 350 bar.

PRESSURE COMPENSATED FLOW CONTROL

PW SERIES

- Pressure compensated flow control valves, two way, with reverse free-flow check
- Flow Rating – upto 90 litres / min.
- Maximum Pressure – 350 bar.

PU SERIES

- Pressure compensated flow control valves, two way
- Flow Rating – upto 90 litres / min.
- Maximum Pressure – 350 bar.



PUW SERIES

- Pressure compensated flow control proportional valves, two way
- Flow Rating – upto 90 litres / min.
- Maximum Pressure – 210 bar.

PP SERIES

- Pressure compensated flow control valves, three way
- Flow Rating – upto 90 litres / min.
- Maximum Pressure – 350 bar.

PPW SERIES

- Pressure compensated flow control proportional valves, three way
- Flow Rating – upto 90 litres / min.
- Maximum Pressure – 210 bar.

PD SERIES

- Flow divider – Combiner valves
- Flow Rating – upto 150 litres / min.
- Maximum Pressure – 210 bar.

SOLENOID VALVES

EA SERIES

- 2 way electric valves, direct acting (Poppet Type)
- Flow Rating – upto 1 litre / min.
- Maximum Pressure – 350 bar.



EE SERIES

- 2 way electric valves, direct acting (Spool Type)
- Flow Rating – upto 40 litres / min.
- Maximum Pressure – 210 bar.

EC SERIES

- 2 way electric valves, Pilot operated
- Flow Rating – upto 150 litres / min.
- Maximum Pressure – 350 bar.

EW SERIES

- 2 way electric valves, direct acting with check in both directions
- Flow Rating – upto 50 litres / min.
- Maximum Pressure – 210 bar.

EJ SERIES

- 3 way, 2 position electric valves
- Flow Rating – upto 40 litres / min.
- Maximum Pressure – 210 bar.

EL SERIES

- 3 way, 2 position electric valves (Poppet type)
- Flow Rating – upto 20 litres / min.
- Maximum Pressure – 210 bar.



INDEX



ER SERIES

- 4 way, 2 position electric valves
- Flow Rating – upto 40 litres / min.
- Maximum Pressure – 210 bar.

ET SERIES

- 4 way, 3 position electric valves
- Flow Rating – upto 40 litres / min.
- Maximum Pressure – 210 bar.



REGISTERED OFFICE

Dynamatic Technologies Limited

Dynamatic Park, Peenya
Bangalore - 560 058, India.
Tel: +91 80 839 4933/34/35
Fax: +91 80 839 4936

email: bsh@dynamatics.net

www.dynamatics.com

BRANCH OFFICES

Dynamatic Technologies Limited

704, Sakar III, Opp. High Court
Navjivan Post
Ahmedabad - 380 014
Tel: 079 7544110
Fax: 079 6589101
Email: brahd@dynamatics.net

Dynamatic Technologies Limited

No. 16, Wallace Gardens, 1st Street
Thousand Lights, Chennai - 600 006
Tel: 044 28332844
Fax: 044 28332625
Email: brmds@dynamatics.net

Dynamatic Technologies Limited

G-6, Anna Maria Apartments
Singanallur
Coimbatore - 641 005
Tel: 98422 31230

Dynamatic Technologies Limited

19, Motilal Sen Lane
Nasikal Danger
Calcutta - 700 011
Tel: 033 23602940

Dynamatic Technologies Limited

Gr.5, Unique House
Cardinal Gracious Road
Chakala
Mumbai - 400 099
Tel: 022 56987370
Fax: 022 56987371
Email: brbom@dynamatics.net

Dynamatic Technologies Limited

A-1/ 255, Safdarjung Enclave
New Delhi - 110 029.
Tel: 011 26105956/26101149/26176532
Fax: 011 26171274
Email: brdel@dynamatics.net

Dynamatic Technologies Limited

Flat No. 2, Ground Floor
Eeshan Bldg, Opp. Ganesh Dhyam Mandir,
Next to Padmaprabha Appt
Sriram Housing Society, Warje
Pune - 411 029
Tel: 020 5233673
Email: brpune@dynamatics.net

Dynamatic Technologies Limited

149, Gunrock Enclave
Secunderabad - 500 003
Tel: 040 27818225
Email: brhyd@dynamatics.net

Dynamatic Technologies Limited

Flat No. 2419-B, Mundi Co-op H/B Society
Sector - 70
Mohali - 160 071
Tel: 0172 268270